



Your splash pad product and installation resource

888-445-RAIN - www.RAINDECK.com



Table of Contents

♦	WATER UMBRELLA	4
•	WATER MUSHROOM (40")	5
•	WATER MUSHROOM (30")	6
•	FLOWER SHOWER - 1	7
•	FLOWER SHOWER - 2	8
•	FLOWER SHOWER - 3	9
•	FLOWER SHOWER - 4	10
•	FIRE HYDRANT SOAKER	11
•	RAIN STICK	12
•	RAINY PALM TREE	13
•	SHOWER SPRAYER	14
•	CACTUS COOLER	15
•	COLOR CHART	16
•	FOOTING BASE	17
•	FOOTING BASE SPRAY PLATES	18
•	STAINLESS STEEL FEATURES	19
•	UNIVERSAL HOUSING	20
•	NOZZLE TOOL	20
•	ADJUSTABLE NOZZLE	21
•	SHOWER NOZZLE	21
•	BUBBLER NOZZLE	22
•	FAN NOZZLE	22
•	BOX NOZZLE	23
•	TRIANGLE NOZZLE	23
•	TRIPLE SHOOTER NOZZLE	24
•	CYLINDER NOZZLE	24
•	TRIPLE FAN NOZZLE	25
•	"X" FACTOR NOZZLE	25
•	SOF-TOUCH™ ACTIVATORS	26
•	SOF-TOUCH™ TIMER BOX	27
•	ELECTRONIC CONTROLLERS	28
•	ELECTRONIC SOLENOID MANIFOLDS	
•	STANDARD HOLDING TANKS	30
•	SEDIMENT FILTRATION TANKS	31
•	COMPLETE SPLASH PAD KITS	32
•	POOL TIE-IN SPLASH PAD KITS	33

We also carry a wide range of supplemental products for splash pad systems and pools.



COMPANY INFORMATION

RAIN DECK, LLC

PHONE: 888-445-RAIN (7246)

FAX: 866-869-3942

EMAIL: info@raindeck.com **WEB:** www.raindeck.com

HOURS OF OPERATION


Monday - Friday 7am - 6pm PST

NOTES



Water Umbrella

RD301-0







Includes: Post & Interchangeable Umbrella Canopy

Rain Deck Footing Base with Cap (RD399-0)

Stainless Steel Bolts and Gasket

Description: Rain Deck Water Umbrella

MFG#: RD301-0 Pkgd Weight: 85 lbs

Width: 47" Diameter Canopy

Height: 7'-4" (from Finished Grade - custom sizes available)

Material: High Strength PVC and Fiberglass

Water Inlet: 1-1/2" F-NPT Flow Rate: 6 GPM @ < 1 PSI



Water Mushroom (40")

RD300-0





Includes: Post & Interchangeable Mushroom Canopy

Rain Deck Footing Base with Cap (RD399-0)

Stainless Steel Bolts and Gasket

Description: Rain Deck Water Mushroom

MFG#: RD300-0 Pkgd Weight: 85 lbs

Width: 40" Diameter Canopy

Height: 7'-4" (from Finished Grade - custom sizes available)

Material: High Strength PVC and Fiberglass

Water Inlet: 1-1/2" F-NPT Flow Rate: 6 GPM @ < 1 PSI



Water Mushroom (30")

RD302-0



Includes: Post & Interchangeable Mushroom Canopy

Rain Deck Footing Base with Cap (RD399-0)

Stainless Steel Bolts and Gasket

Description: Rain Deck Water Mushroom

MFG#: RD302-0 Pkgd Weight: 80 lbs

Width: 30" Diameter Canopy

Height: 7'-4" (from Finished Grade - custom sizes available)

Material: High Strength PVC and Fiberglass

Water Inlet: 1-1/2" F-NPT Flow Rate: 6 GPM @ < 1 PSI



Flower Shower - 1

RD312-0



Includes: Flower Shower with Choice of Interchangeable Nozzle

Rain Deck Footing Base with Cap (RD399-0)

Stainless Steel Bolts and Gasket Choice of Interchangeable Nozzle

Nozzle Tool

Description: Rain Deck Shower Flower - 1 Nozzle

MFG#: RD312-0 Pkgd Weight: 55 lbs

Width: 5" Post with 14.5" Acrylic Flower Petal

Height: 7'-4" (from Finished Grade - custom sizes available)

Material: PVC, Fiberglass, and Acrylic

Water Inlet: 1-1/2" F-NPT Flow Rate: 4.75 GPM @ 5 PSI



Flower Shower - 2

RD303-0



Includes: Post & Interchangeable Flower Shower Head Piece

Rain Deck Footing Base with Cap (RD399-0)

Stainless Steel Bolts and Gasket Choice of Interchangeable Nozzles

Nozzle Tool

Description: Rain Deck Shower Flower - 2 Nozzle

MFG#: RD303-0 Pkgd Weight: 65 lbs

Width: 32" Diameter Top Head w/ 14.5" Acrylic Flower Petals Height: 7'-4" (from Finished Grade - custom sizes available)

Material: PVC, Fiberglass and Acrylic

Water Inlet: 1-1/2" F-NPT Flow Rate: 9.5 GPM @ 5 PSI



Flower Shower - 3

RD306-0

9



Includes: Post & Interchangeable Flower Shower Head Piece

Rain Deck Footing Base with Cap (RD399-0)

Stainless Steel Bolts and Gasket Choice of Interchangeable Nozzles

Nozzle Tool

Description: Rain Deck Shower Flower - 3 Nozzle

MFG#: RD306-0 Pkgd Weight: 76 lbs

Width: 32" Diameter Top Head w/ 14.5" Acrylic Flower Petals Height: 7'-4" (from Finished Grade - custom sizes available)

Material: PVC, Fiberglass and Acrylic

Water Inlet: 1-1/2" F-NPT Flow Rate: 14.25 GPM @ 5 PSI





RD304-0



Includes: Post & Interchangeable Flower Shower Head Piece

Rain Deck Footing Base with Cap (RD399-0)

Stainless Steel Bolts and Gasket Choice of Interchangeable Nozzles

Nozzle Tool

Description: Rain Deck Shower Flower - 4 Nozzle

MFG#: RD304-0 Pkgd Weight: 82 lbs

Width: 32" Diameter Top Head w/ 14.5" Acrylic Flower Petals Height: 7'-4" (from Finished Grade - custom sizes available)

Material: PVC, Fiberglass and Acrylic

Water Inlet: 1-1/2" F-NPT Flow Rate: 19 GPM @ 5 PSI



Fire Hydrant Soaker

RD307-0



Includes: Fire Hydrant Soaker with Choice of 4 Interchangeable Nozzles

Rain Deck Footing Base with Cap (RD399-0)

Stainless Steel Bolts and Gasket

Nozzle Tool

Description: Rain Deck Fire Hydrant Soaker - 4 Nozzle

MFG#: RD307-0 Pkgd Weight: 45 lbs Width: 19" Height: 35"

Material: High Strength PVC and Fiberglass

Water Inlet: 1-1/2" F-NPT Flow Rate: 16 GPM @ 5 PSI



Rain Stick

RD308-0



Includes: Rain Stick with 1 Shower Nozzle

Rain Deck Footing Base with Cap (RD399-0)

Stainless Steel Bolts and Gasket

Nozzle Tool

Description: Rain Deck Rain Stick - Single Nozzle

MFG#: RD308-0 Pkgd Weight: 35 lbs Width: 5"

Height: 36" from grade

Material: High Strength PVC and Fiberglass

Water Inlet: 1-1/2" F-NPT Flow Rate: 4.75 GPM @ 5 PSI



Rainy Palm Tree

RD309-0







Includes: Rainy Palm Tree with Choice of Interchangeable Nozzle

Rain Deck Footing Base with Cap (RD399-0)

Stainless Steel Bolts and Gasket

Nozzle Tool

Description: Rain Deck Rainy Palm Tree - Single Nozzle

MFG#: RD309-0 Pkgd Weight: 85 lbs

Width: 5" Post with 69" Palm Leaf Span

Height: 7'-4" (from Finished Grade - custom sizes available)
Material: High Strength PVC, Fiberglass and Aluminum Palm Fronds

Water Inlet: 1-1/2" F-NPT

Flow Rate: 4.75 GPM @ 5 PSI (Using a Shower Nozzle)



Shower Sprayer

RD310-0



Includes: Shower Sprayer with 1 Shower Nozzle

Rain Deck Footing Base with Cap (RD399-0)

Stainless Steel Bolts and Gasket

Nozzle Tool

Description: Rain Deck Shower Sprayer - Single Nozzle

MFG#: RD310-0 Pkgd Weight: 60 lbs

Height: 7'-4" (from Finished Grade - custom sizes available)

Material: High Strength PVC and Fiberglass

Water Inlet: 1-1/2" F-NPT

Flow Rate: 4.75 GPM @ 5 PSI (Using a Shower Nozzle)



Cactus Cooler

RD311-0





Includes: Cactus Cooler with Choice of 3 Interchangeable Nozzles

Rain Deck Footing Base with Cap (RD399-0)

Stainless Steel Bolts and Gasket

Nozzle Tool

Description: Rain Deck Cactus Cooler - 3 Nozzle

MFG#: RD311-0 Pkgd Weight: 55 lbs

Width: 36" From Outside Edges of Petals

Height: 7'-4" (from Finished Grade - custom sizes available)

Material: High Strength PVC, Fiberglass and Acrylic

Water Inlet: 1-1/2" F-NPT

Flow Rate: 14.25 GPM @ 5 PSI (Using Shower Nozzles)





Rain Deck Above Ground Feature Color Chart

FEATURE COLORS



NOTE: Color samples cannot be considered a totally accurate representation of the actual paint color and should only be used as general guidance for selecting a feature color.

*Colors available for acrylic Flower Shower Petals.



Footing Base

RD399-0





Includes: Rain Deck Footing Base with Cap

Stainless Steel Bolts and Gasket

Description: Rain Deck Footing Base with Cap and Stainless Steel Hardware

MFG#: RD399-0 Weight: 15 lbs

Width: See Spec Sheet Height: See spec Sheet

Material: High Strength PVC, Aluminum and Stainless Steel

Water Inlet: 1-1/2" F-NPT



18

Footing Base Spray Plates

RD399-1/RD399-2





RD399-1 Low Flow

RD399-2 High Flow





Includes: Footing Base Spray Plate (Rain Deck Footing Base sold separately)

Description: Rain Deck Footing Base Spray Plate

MFG#: **RD399-1** Five Hole Pattern / **RD399-2** Nine Hole Pattern

Pkgd Weight: 3 lbs

Width: 9" Diameter

Material: Anodized Aluminum

Water Inlet: To be used with Rain Deck Footing Base RD399-0 or RDS399-0 Flow Rate: RD399-1 = 8.75 GPM @ 5 PSI / RD399-2 = 15.75 GPM @ 5 PSI



Rain Deck Stainless Steel Product Line

19



*SEE THE RAIN DECK STAINLESS STEEL PRODUCT BROCHURE FOR MORE INFO



Universal Housing

RD102-0



Description: Rain Deck Universal Housing

MFG#: RD102-0 Weight: 3.5 oz Width: 3" Height: 2"

Material: UHMW Polyethylene (also available in aluminum)

Water Inlet: 1/2" F-NPT

Universal Tool

RD100-0



Description: Rain Deck Nozzle Tool

MFG#: RD100-0 Weight: 2 oz Width: 3" Height: .75"



Adjustable Nozzle

RD103-0







Description: Rain Deck Interchangeable Adjustable Nozzle

MFG#: RD103-0 Weight: 3.5 oz Width: 2-1/2" Height: 1"

Material: Delrin (also available in aluminum)
Water Inlet: To be used with Universal Housing

Flow Rate: 1.75 GPM @ 5 PSI (aprx 4'-6' spray height)

Shower Nozzle







Description: Rain Deck Interchangeable Shower Nozzle

MFG#: RD104-0 Weight: 3.6 oz Width: 2-1/2" Height: 1" Material: Delrin

Water Inlet: To be used with Universal Housing


Flow Rate: 4.75 GPM @ 5 PSI (aprx 4'-6' spray height)



M Bubbler Nozzle

RD105-0





Description: Rain Deck Interchangeable Bubbler Nozzle

MFG#: RD105-0 Weight: 2.8 oz Width: 2-1/2" Height: 1" Material: Delrin

Water Inlet: To be used with Universal Housing

Flow Rate: 5.5 GPM @ < 1 PSI (aprx 6"-8" spray height)

Fan Nozzle

RD106-0





Description: Rain Deck Interchangeable Fan Nozzle

MFG#: RD106-0 Weight: 3.5 oz Width: 2-1/2" Height: 1" Material: Delrin

Water Inlet: To be used with Universal Housing

Flow Rate: 3.75 GPM @ 5 PSI (aprx 4'-6' spray height)



Box Nozzle

RD107-0







Description: Rain Deck Interchangeable Box Nozzle

MFG#: RD107-0 Weight: 3.6 oz Width: 2-1/2" Height: 1" Material: Delrin

Water Inlet: To be used with Universal Housing
Flow Rate: 9 GPM @ 5 PSI (aprx 4'-6' spray height)

Triangle Nozzle

RD108-0





Description: Rain Deck Interchangeable Triangle Nozzle

MFG#: RD108-0 Weight: 3.6 oz Width: 2-1/2" Height: 1" Material: Delrin

Water Inlet: To be used with Universal Housing

Flow Rate: 8.5 GPM @ 5 PSI (aprx 4'-6' spray height)



Triple Shooter Nozzle

RD110-0





Description: Rain Deck Interchangeable Triple Shooter Nozzle

MFG#: RD110-0
Weight: 3.6 oz
Width: 2-1/2"
Height: 1"
Material: Delrin

Water Inlet: To be used with Universal Housing

Flow Rate: 5.25 GPM @ 5 PSI (aprx 4'-6' spray height)

Cylinder Nozzle

RD111-0





Description: Rain Deck Interchangeable Cylinder Nozzle

MFG#: RD111-0
Weight: 3.6 oz
Width: 2-1/2"
Height: 1"
Material: Delrin

Water Inlet: To be used with Universal Housing

Flow Rate: 8.5 GPM @ 5 PSI (aprx 4'-6' spray height)



Triple Fan Nozzle

RD112-0







Description: Rain Deck Interchangeable Triple Fan Nozzle

MFG#: RD112-0 Weight: 3.6 oz Width: 2-1/2" Height: 1" Material: Delrin

Water Inlet: To be used with Universal Housing
Flow Rate: 9 GPM @ 5 PSI (aprx 4'-6' spray height)

"X" Factor Nozzle

RD113-0





Description: Rain Deck Interchangeable "X" Factor Nozzle

MFG#: RD113-0 Weight: 3.6 oz Width: 2-1/2" Height: 1" Material: Delrin

Water Inlet: To be used with Universal Housing

Flow Rate: 13 GPM @ 5 PSI (aprx 4'-6' spray height)



% Sof-Touch™ Activator

RD550-0





Includes: Sof-TouchTM Post Mounted Activator

Rain Deck Footing Base with Cap (RD399-0)

Stainless Steel Bolts and Gasket

Description: Rain Deck Sof-TouchTM Post Mounted Activator

MFG#: RD550-0 Pkgd Weight: 35 lbs Width: 5"

Height: 36" (from Finished Grade - custom sizes available)

Material: High Strength PVC and Fiberglass Post.

Sof-Touch™ Ground Sensor

RD555-0





Sof-Touch™ Timer Box

RD550-1





The Rain Deck timer box makes your splash pad installation extremely simple with this plug and play capability. This timer box is to be used with a standard installation of the Rain Deck Sof-Touch Activator or Ground Sensor and can be programmed to operate within a range of 1 minute to 30 minute intervals.

Includes: Rain Deck Sof-TouchTM Timer Box

Description: Rain Deck Sof-TouchTM Timer Box.

MFG#: RD550-1 Pkgd Weight: 10 lbs



R Electronic Controller

RD500-0 / RD505-0



RD500-0

Rain Deck Electronic Splash Pad Controllers set the industry standard for splash pad control systems. The Rain Deck controllers provides the RAINDECK (858) 445 - RAIN RD505-0

user with a scalable number of solenoids and up to 4 pre-programmed spray sequences. The controllers are completely compatible with fresh water "pass through" systems and recirculation systems.

RD500-0 provides the following four programs:


- "A" Random Program.
- "B" Sequential through solenoids with an all on finale.
- "C" Two solenoids on at a time in a random order.
- "D" All solenoids on.

Includes:	Rain Deck Scalable Electronic Controller
Description: MFG#:	Rain Deck Scalable Multi-Solenoid Electronic Controller . RD500-0 Scalable W/ 4 Programs.
WIFO#.	RD505-0 Scalable W/ Single Program.
Pkgd Weight:	12 lbs



Electronic Solenoid Manifold RD502-0/RD503-0/RD504-0





The Rain Deck Electronic Solenoid Manifolds are designed to work with the Rain Deck Electronic Controllers. Our manifolds can accommodate any number of jets and above ground water features. Rain Deck also builds custom manifolds for your unique projects. Please call Rain Deck for additional details on our custom manifolds.

Includes: PVC Solenoid Manifold with 4, 6 or 8 Solenoids

Description: Rain Deck Electronic Solenoid Manifold

MFG#: RD502-0 (8 Solenoid) / RD503-0 (6 Solenoid) / RD504-0 (4 Solenoid)

Pkgd Weight: 15 - 20 lbs Material: PVC Manifold Water Inlet: 1-1/2" Sch40 Slip



30


Holding Tanks

RD700/701/702/703/704/705/706

Our standard splash pad tanks come in a variety of sizes to meet the demands of any size splash pad project. All of our tanks can be fitted with multiple fittings to be scalable for any number of water play features and dedicated recirculation lines. Each tank comes standard with one (1) suction line fitting, one (1) return line fitting, one (1) drain line port and one (1) auto fill hook-up fitting.

*Please speak with a Rain Deck representative to determine the right size tank for your project.





Description: Standard Burial Grade Splash Pad Holding Tanks

MFG#: RD700 (150gal) / RD701 (325gal) / RD702 (600gal) / RD703 (1200gal)

RD704 (1700gal) / RD705 (2000gal) / RD706 (2500gal)

Width: Call for spec sheet Height: Call for spec sheet Material: Call for spec sheet



4000 Gallon Holding Tank


RD707-0

3

Our patented single wall and double wall Splash Pad Sediment Filtration Tank sets the industry standard for efficient water sanitation. This tank meets the criteria for the most stringent health code requirements.

Our patented tanks can be used as a stand alone splash pad recirculation tank or in combination with our other holding tanks for increased water demands. Other tank sizes available.

*Please speak with a Rain Deck representative to determine the right size tank for your project.





Includes:	4000 Gallon	Splash Pad	Tank w/	Risers
-----------	-------------	------------	---------	--------

Description: Rain Deck 4000 gal Burial Grade Holding Tank

MFG#: RD707-0

Length: 16.5' (Call for spec sheet)
Height: 7.5' (Call for spec sheet)
Material: Call for spec sheet

Fittings: Suction, Return, Drain and Auto Fill - Fully Scalable



32

Complete Splash Pad Kits

ITEMS INCLUDED

- ♦ Rain Deck 3" Housings
- ♦ Rain Deck Adjustable Nozzles
- ♦ Rain Deck Nozzle Tool
- ♦ Electronic Controller (RD505-0)
- ♦ 3-Way Diverter Valve 1-1/2"
- ♦ 1.5-HP Pump
- ♦ 150 Square Foot Cartridge Filter
- ♦ 6" Drain Grate with Strainer Basket
- ♦ Rain Deck 150 Gallon Holding Tank
- ♦ Two 1-1/2" & one 1/2" bulk head fittings
- ♦ 1/2" Auto Water Leveler
- ♦ 1-1/2" Check Valve
- ♦ Four (4) Solenoid Manifold
- ♦ Float Chlorinator Dispenser (1" tabs)
- ♦ Rain Deck Installation Manual

6 Nozzle Splash Pad Kit MFG# RD200-0 8 Nozzle Splash Pad Kit MFG# RD201-0

12 Nozzle Splash Pad Kit MFG# RD202-0

16 Nozzle Splash Pad Kit MFG# RD203-0



Pool Tie-In Splash Pad Kits

3

ITEMS INCLUDED

- ♦ Rain Deck 3" Housings
- ♦ Rain Deck Adjustable Nozzles
- ♦ Rain Deck Nozzle Tool
- **♦** Electronic Controller (RD505-0)
- Four (4) Solenoid Manifold
- ♦ 6" Drain Grate with Strainer Basket
- Rain Deck Installation Manual

6 Nozzle Splash Pad Kit 8 Nozzle Splash Pad Kit 12 Nozzle Splash Pad Kit 16 Nozzle Splash Pad Kit

h Pad Kit MFG# RD202-1 h Pad Kit MFG# RD203-1

MFG# RD200-1

MFG# RD201-1

RESIDENTIAL SPLASH PADS



A SAFE, FUN, AND AFFORDABLE WAY TO KEEP YOUR KIDS COOL AND ENTERTAINED. NO WASTED SPACE... CAN USE THE AREA FOR PATIO FURNITURE, PLAY AREA, ETC. CAN ALSO DOUBLE AS A DECORATIVE FEATURE/FOUNTAIN FOR THE ADULTS.

RAINDECK RESIDENTIAL SPIASH PADS



RANDECK IGHT COMMERCIAL SPLASH PADS



WORKS WELL IN LOCATIONS THAT ARE SUPERVISED AND/OR HAVE OPERATING HOURS. PRESCHOOLS, DAY CARES, CAMPGROUNDS, HOA'S ARE USUALLY GREAT CANDIDATES FOR THESE TYPES OF SPLASH PADS.





COMMERCIAL SPLASH PADS




TYPICALLY FOUND IN CITY PARKS, AMUSEMENT PARKS, ETC. PLEASE VISIT WWW.RAINDECK.COM FOR ADDITIONAL INFORMATION ON OUR STAINLESS STEEL PRODUCT LINE.





RAINDECK



info@raindeck.com

Your splash pad product and installation resource

888-445-RAIN - www.RAINDECK.com